

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((branch\$3 near4 predict\$3) with (address\$3 near4 siz\$3)).clm.	US-PGPUB	OR	OFF	2005/12/07 12:55
L2	0	((address adj1 modes) and (instruction adj1 address) and branch\$3).clm.	US-PGPUB	OR	OFF	2005/12/07 12:55
L3	2	((branch\$3 near4 predict\$3) and (address\$3 near4 siz\$3)).clm.	US-PGPUB	OR	OFF	2005/12/07 12:55
L4	2	((("out-of-order") adj1 execution) and (ports)).clm.	US-PGPUB	OR	OFF	2005/12/07 12:55
S1	145	((712/229).CCLS.) and @pd >="20000320"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/17 08:16
S2	127	((712/233).CCLS.) and @pd >="20000320"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/17 08:16
S3	125	((712/234).CCLS.) and @pd >="20000320"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/17 08:16
S4	196	(712/43).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/17 08:16
S5	13	branch near4 (address adj1 mode)	USPAT; JPO	OR	OFF	2002/11/07 10:43
S6	0	(branch adj1 control) near4 (address adj1 mode)	USPAT; JPO	OR	OFF	2002/11/07 10:44
S7	1462	(branch) near4 (mode)	USPAT; JPO	OR	OFF	2002/11/07 10:44
S8	9	((branch) near4 (mode)) near4 transfer	USPAT; JPO	OR	OFF	2002/11/07 10:57
S9	4	jump near4 (address adj1 mode)	USPAT; JPO	OR	OFF	2002/11/07 10:59
S10	931	jump near4 (mode)	USPAT; JPO	OR	OFF	2002/11/07 11:01
S11	671	Branch adj1 History	USPAT; JPO	OR	OFF	2002/11/13 14:03
S12	0	Branch adj1 History1 adj1 table	USPAT; JPO	OR	OFF	2002/11/13 14:03
S13	0	(Branch adj1 History1) adj1 table	USPAT; JPO	OR	OFF	2002/11/13 14:03

S14	424	(Branch adj1 History) adj1 table	USPAT; JPO	OR	OFF	2002/11/13 14:04
S15	10	((Branch adj1 History) adj1 table) near4 mode	USPAT; JPO	OR	OFF	2002/11/13 14:17
S16	0	(out adj1 of adj1 order) adj1 execution	USPAT; JPO	OR	OFF	2002/11/13 14:18
S17	0	("out of order") adj1 execution	USPAT; JPO	OR	OFF	2002/11/13 14:18
S18	761	("out-of-order") adj1 execution	USPAT; JPO	OR	OFF	2002/11/13 15:25
S19	3	("out-of-order") adj1 execution) near4 mode	USPAT; JPO	OR	OFF	2002/11/13 14:18
S20	0	("out-of-order") adj1 execution) near4 (multiple adj1 instruction adj1 ports)	USPAT; JPO	OR	OFF	2002/11/13 15:26
S21	0	("out-of-order") adj1 execution) near4 (instruction adj1 ports)	USPAT; JPO	OR	OFF	2002/11/13 15:27
S22	2	("out-of-order") adj1 execution) near4 (ports)	USPAT; JPO	OR	OFF	2002/11/13 15:26
S23	0	("out-of-order") adj1 execution) and (multiple adj1 instruction adj1 ports)	USPAT; JPO	OR	OFF	2002/11/13 15:26
S24	0	("out-of-order") adj1 execution) and (instruction adj1 ports)	USPAT; JPO	OR	OFF	2002/11/13 15:27
S25	0	("out-of-order") adj1 execution) and (fetch adj1 ports)	USPAT; JPO	OR	OFF	2002/11/13 15:28
S26	327	("out-of-order") adj1 execution) and (ports)	USPAT; JPO	OR	OFF	2002/11/13 15:28
S27	4	("5142630") or ("4881170") or ("5963721") or ("4954947")).PN.	USPAT; USOCR; JPO	OR	OFF	2002/11/14 11:01
S28	184	(712/229).CCLS.	USPAT; USOCR; JPO	OR	OFF	2005/12/05 10:11
S29	210	(712/233).CCLS.	USPAT; USOCR; JPO	OR	OFF	2003/06/04 16:36
S30	283	(712/234).CCLS.	USPAT; USOCR; JPO	OR	OFF	2003/06/04 16:36
S31	11	((712/234).CCLS.) and (address adj1 mode)	USPAT; JPO	OR	OFF	2003/06/04 16:36
S32	74	((712/229).CCLS.) and @pd >="20000320"	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/01/29 15:24

S33	68	((712/233).CCLS.) and @pd >="20000320"	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/01/29 15:25
S34	65	((712/234).CCLS.) and @pd >="20000320"	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/17 08:16
S35	231	(712/229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/01/29 16:31
S36	431	address adj1 modes	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/01/29 16:31
S37	8	(address adj1 modes) near4 (instruction adj1 address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/07 12:54
S38	5	("4340932" "5590302" "5771363" "5819078" "6233659").PN.	USPAT	OR	OFF	2004/01/29 16:36
S39	30	(branch\$2 adj1 instruction\$1) near4 (pipeline adj1 execution)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/02 09:51
S40	623	branch\$2 adj1 pipeline	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/02 10:09
S41	1	(branch\$2 adj1 pipeline) near4 stages	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/02 09:55
S42	7	((branch\$2 adj1 pipeline) same stages) and (???/??)".ccls"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/02 09:57
S43	205	(branch\$2 adj1 instruction\$1) adj1 pipeline	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/02 10:09
S44	142	(branch adj1 instruction) adj1 pipeline	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/02 10:24
S45	2	(branch adj1 instruction) adj1 pipeline adj1 stages	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/02 10:24

S46	0	((out?of?order) adj1 execut\$3) near4 ((fetch and execution) adj1 pipeline\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/14 14:40
S47	0	((out?of?order) adj1 execut\$3) with ((fetch and execution) adj1 pipeline\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/14 14:40
S48	0	((out?of?order) adj1 execut\$3) same ((fetch and execution) adj1 pipeline\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/14 14:40
S49	379	((out?of?order) adj1 execut\$3) same (pipeline\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/14 14:40
S50	91	((out?of?order) adj1 execut\$3) near4 (pipeline\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/14 14:51
S51	2	(("5265213") or ("5404468")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/14 14:55
S52	1	("5586276").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/14 14:56
S53	1	("5450605").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/14 14:58
S54	1	("5581718").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/14 15:00
S55	1	("5535347").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/14 15:00
S56	1	("5963721").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/14 16:48

S57	80	(out?of?order) near4 (instruction\$1 near4 fetch\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/14 16:49
S58	21	(out?of?order) near4 (instruction\$1 adj1 fetch\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/14 16:49
S59	4	(US-4773041-\$ or US-5537560-\$ or US-5546599-\$).did. or (NB9404385).tban.	USPAT; IBM_TDB	OR	OFF	2004/09/14 16:52
S60	11	instruction adj1 fetchers	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 09:43
S61	0	(instruction near4 fetchers) near4 (out?of?order adj1 execution)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 09:45
S62	0	(instruction near4 fetchers) near4 ((out?of?order) adj1 execution)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 09:44
S63	0	(instruction near4 fetchers) with ((out?of?order) adj1 execution)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 09:44
S64	0	(instruction near4 fetchers) same ((out?of?order) adj1 execution)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 09:45
S65	12	instruction near4 fetchers	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 09:44
S66	0	fetchers near4 ((out?of?order) adj1 execution)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 09:45
S67	0	fetchers with ((out?of?order) adj1 execution)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 09:45
S68	0	fetchers same ((out?of?order) adj1 execution)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 09:45

S69	0	(instruction near4 fetchers) near4 (out?of?order near4 execution)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 09:45
S70	14	(instruction near4 fetch\$3) near4 (out?of?order near4 execution)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 10:21
S71	33	(instruction near4 fetch\$3) near4 (out?of?order)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 11:14
S72	0	(dual near4 fetchers) near4 (out?of?order)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 11:14
S73	0	(dual near4 fetchers) with (out?of?order)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 11:14
S74	0	(dual near4 fetchers) same (out?of?order)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 11:14
S75	1	dual near4 fetchers	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 11:15
S76	1	dual with fetchers	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 11:15
S77	1	dual same fetchers	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 11:15
S78	39	dual near4 (instruction adj1 fetch\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 11:19
S79	120	multiple near4 (instruction adj1 fetch\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 11:21
S80	36	multiple adj1 (instruction adj1 fetch\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 11:21

S81	1	(multiple adj1 (instruction adj1 fetch\$1)) same (out?of?order)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 11:41
S82	2	(multiple near4 (instruction adj1 fetch\$1)) same (out?of?order)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 11:22
S83	1	((multiple adj1 instruction) near4 fetch\$1) same (out?of?order)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 11:23
S84	2	((multiple adj1 instruction) near4 fetch\$1) same (reorder)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 11:23
S85	5	(multiple adj1 (instruction adj1 fetch\$1)) and (out?of?order)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/15 11:41
S86	205	(712/43).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/05/13 15:46
S87	166	((712/229).CCLS.) and @pd >="20000320"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/13 15:46
S88	148	((712/233).CCLS.) and @pd >="20000320"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/13 15:46
S89	141	((712/234).CCLS.) and @pd >="20000320"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/13 15:46
S90	170	(address\$3 near4 mod\$3) near4 (branch\$3 near4 instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/16 09:03
S91	26	(address\$3 near4 mod\$3) near4 (branch\$3 near4 instruction\$1) near4 (stor\$3 or part or hold\$3 or associat\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/16 08:56
S92	69	(address\$3 adj1 (mod\$3 or siz\$3)) near4 (branch\$3 near4 instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/16 08:56

S93	40	(address\$3 adj1 (mod\$3 or siz\$3)) near4 (branch\$3 adj1 instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/16 08:56
S94	5	(address\$3 near4 mod\$3) near4 (branch\$3 near4 instruction\$1) and (out?of?order)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/16 09:03
S95	209	(712/43).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 10:10
S96	293	(712/229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 10:11
S97	312	(712/233).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 10:11
S98	404	(712/234).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 13:21
S99	49	(branch\$2 near4 address\$3) near4 (instruction\$1 near4 siz\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:24
S10 0	0	(Philips-T).xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:25
S10 1	0	(Phillips-T).xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:24
S10 2	0	(Phillips-Tim).xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:24
S10 3	0	(Philips-Tim).xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:25

S10 4	19	(Philips).xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:25
S10 5	0	(Philip-T).xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:25
S10 6	0	(Philip-Tim).xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:25
S10 7	0	(Philip-Timothy).xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:25
S10 8	0	(Phillip-Timothy).xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:25
S10 9	3291	(Philip).xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:25
S11 0	0	(Philip-T).xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:26
S11 1	0	Philip-Tim.xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:27
S11 2	0	"Philip-Tim".xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:27
S11 3	0	"Phillip-T".xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:27
S11 4	0	"Phillip_T".xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:27
S11 5	608	"Phillip".xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:27

S11 6	3291	"Philip".xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:28
S11 7	0	"SGI INC.".as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:36
S11 8	0	"Philip-Tim".xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:36
S11 9	0	"Phillip-Tim".xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:36
S12 0	0	"Phillip-T".xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:37
S12 1	0	"Philip-T".xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:37
S12 2	37	"SGI".as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:38
S12 3	0	MIPs near4 address\$2 near4 siz\$3 near4 "16" near4 "32"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:38
S12 4	0	MIPs near4 address\$2 near4 siz\$3 near4 "16"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:38
S12 5	0	MIPs same (address\$2 near4 siz\$3 near4 "16")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 14:38
S12 6	4	MIPs same (address\$2 same siz\$3 near4 "16")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 15:08
S12 7	0	"SGI INTERNATIONAL- INC.".as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 15:09

S12 8	0	"SGI INTERNATIONAL- INC."	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 15:09
S12 9	1	"SGI-INTERNATIONAL-INC".as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 15:09
S13 0	775	"SILICON GRAPHICS".as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 15:10
S13 1	18	"SILICON GRAPHICS Incorporated".as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 15:12
S13 2	0	"SILICON GRAPHICS Inc.".as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 15:12
S13 3	750	"SILICON GRAPHICS Inc".as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 15:13
S13 4	0	"Tim Philip".xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 15:17
S13 5	0	"T Philip".xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 15:17
S13 6	0	"Timothy Philip".xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 15:17
S13 7	0	"Timothy Phillip".xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 15:18
S13 8	0	"Tim Phillip".xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 15:34
S13 9	9	(address\$3 near4 siz\$3) near4 (indicat\$3 or bit\$1 or sign\$3 or symbol\$5 or tag\$3 or mark\$3) near4 (stor\$3 near4 instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 15:49

S14 0	18	((address\$3 near4 siz\$3) near4 (indicat\$3 or bit\$1 or sign\$3 or symbol\$5 or tag\$3 or mark\$3)) with (stor\$3 near4 instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 15:55
S14 1	1	((("32" same "64") same address\$3 same mode) and philip\$.xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/06 16:11
S14 2	224	((("32" same "64") same address\$3 same mode) and "712"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/06 16:11
S14 3	7	(branch\$3 near4 predict\$3) near4 (address\$3 near4 siz\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/06 16:17
S14 4	117	(branch\$3 near4 predict\$3) same (address\$3 near4 siz\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/06 16:17
S14 5	11	(branch\$3 near4 predict\$3) with (address\$3 near4 siz\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/07 12:53